

University of Groningen

Development of a continuous process for EPDM devulcanization in an extruder

Sutanto, Poppy

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2006

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Sutanto, P. (2006). *Development of a continuous process for EPDM devulcanization in an extruder*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Development of a Continuous Process for EPDM Devulcanization in an Extruder

Poppy Sutanto

This research was supported by the Technology Foundation STW, the Applied Science Division of the Dutch Scientific Foundation NOW under project number TPC 5576. DSM Elastomers B.V., Hertel B.V., Rhein Chemie Rheinau GmbH and Rubber Resources B.V. are gratefully acknowledged for the additional financial support for this project.

RIJKSUNIVERSITEIT GRONINGEN

**Development of a Continuous Process for EPDM
Devulcanization in an Extruder**

Proefschrift

ter verkrijging van het doctoraat in de
Wiskunde en Natuurwetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. F. Zwarts,
in het openbaar te verdedigen op
vrijdag 16 juni 2006
om 16.15 uur

door

Poppy Sutanto
geboren op 31 juli 1975
te Jakarta, Indonesië

Promotor: Prof. dr. ir. L.P.B.M. Janssen

Referent: Dr. F. Picchioni

Beoordelingscommissie: Prof. dr. A.A. Broekhuis

Prof. dr. ir. J.W.M. Noordermeer

Prof. dr. A.J. Schouten

ISBN 90-367-2642-5

ISBN 90-367-2643-3 (electronic version)

Publication year: 2006

Aan Hendrik

CONTENTS

CHAPTER 1: STATE OF THE ART: RECYCLING OF EPDM RUBBER VULCANIZATES

1. Introduction	1
2. Rubber recycling processes	3
3. EPDM recycling	8
3.1. Developments in Reclaiming EPDM Rubber	8
3.1.1. 'Fundamental' or 'small scale' investigations	8
3.1.2. Thermal-Mechanical Process	8
3.1.3. Microwave Devulcanization of EPDM	9
3.1.4. Ultrasonic Devulcanization of EPDM	10
3.2. Ground EPDM rubber waste as filler	10
4. Final Remarks	11
5. Research Scope	12
References	13

CHAPTER 2: SCREENING EXPERIMENTS IN A BATCH SYSTEM

1. Introduction	17
2. Experimental & Analysis Methods	17
2.1. Material	17
2.2. Equipment	18
2.3. Analysis Methods	18
2.4. Experimental Setup	18
3. Screening Experiments on Roofing Sheet Material	19
3.1. Effect of Particle Size	19
3.2. Effect of the Addition of Processing Oil	23
3.4. Effect of Devulcanization Agent Concentration	24
3.5. Effect of residence time, temperature, and rotation speed	24
4. Screening Experiments of the EPDM Profile Material	26
5. Conclusions	29
Nomenclature	29
References	30

CHAPTER 3: MODELING THE KINETICS OF AN EPDM DEVULCANIZATION IN AN INTERNAL BATCH MIXER USING AN AMINE AS THE DEVULCANIZING AGENT

1. Introduction	31
2. Materials and Methods	33
2.1. Materials & Equipments	33
2.2. Analytical Methods	33
3. Experiments	34
3.1. Experimental Scheme	34
3.2. Shear Rate Calibration in the Brabender	35
4. Results	35
4.1. Decrease in Crosslink Density without any Devulcanizing Agent	35
4.2. The Model	36
4.3. Model for the Rate Constants	38
4.4. The Model Validation	44

5. Discussions	45
5.1. Effect of Temperature and Shear Rate on Rate Constants	46
5.2. Competition between the Reaction Terms	48
6. Conclusions	49
Nomenclature	49
References	50

CHAPTER 4: CONTINUOUS DEVULCANIZATION IN AN EXTRUDER

1. Introduction	51
2. Materials and Equipments	52
2.1. Materials	52
2.2. Equipments	52
3. Modelling Concept	52
4. Calculations of the parameters	54
4.1. Shear rate	56
4.2. Residence time	57
4.2.1. Solid model	58
4.2.2. Liquid model	59
4.3. Conversion	61
5. Experimental procedures	62
5.1. Simulation of the effects of Screw Design, Flow Rate, and Rotation Speed on the Residence Time	62
5.1.1. Finding the proper screw configuration (modelling residence time vs. screw configuration)	62
5.1.2. The influence of screw speed and throughput on the residence time	64
5.2. Experimental Scheme	65
6. Results and Discussions	65
6.1. Viscosity of the devulcanizate	65
6.2. Degree of conversion model vs. degree of conversion experimental data	66
7. Conclusions	68
Nomenclature	69
References	70

CHAPTER 5: THE USE OF EXPERIMENTAL DESIGN TO STUDY THE RESPONSES OF CONTINUOUS DEVULCANIZATION PROCESSES

1. Introduction	71
2. Experimental Setup	73
2.1. Material and Equipments	73
2.2. Analytical Methods	74
3. EPDM Profile Material	74
3.1. Experimental design	74
3.2. Results and Discussion	75
3.2.1. Analysis of Variance	75
3.2.2. Regression model	76
3.2.3. Model Validation	79
4. EPDM Roofing Sheet	80
4.1. Experimental design	80
4.2. Results and Discussion	81

4.2.1. Analysis of Variance & Regression model	81
4.2.3. Model Validation	87
5. Comparisons of the two models	87
6. Conclusions	89
Nomenclature	90
References	90

CHAPTER 6: RECLAIM RUBBER FROM THE DEVULCANIZATES

1. Introduction	91
2. EPDM Profile	92
2.1 Characterisation of the devulcanizates	92
2.2. Revulcanization	94
2.3. Mechanical tests of the revulcanizates	95
2.4. Visualisation of the products	97
3. EPDM Roofing Sheet	99
3.1. Characterisation of the devulcanizates	100
3.2. Revulcanization	101
3.3. Mechanical tests	101
3.4. Visualisation	104
4. Blending of EPDM Profile Devulcanizate into the Virgin Roofing Sheet Compound	107
5. Conclusions	108
References	109

CHAPTER 7: TECHNOLOGICAL ASSESSMENT: APPLICATION OF THE EXTRUDER MODELS FOR OTHER DEVULCANIZATION PROCESSES

1. Methodology	111
1.1. Designing procedure	111
1.2. Estimation of the Key Parameters	112
2. Influence of the Processing Steps on the Product Performance	113
3. Applications of the Reclaim Rubber	115
4. Conclusions	115
References	116

<i>Summary</i>	<i>117</i>
<i>Samenvatting</i>	<i>120</i>
<i>Publications</i>	<i>123</i>
<i>Acknowledgment</i>	<i>124</i>